

ISS SAATH KI SHAKTI HAI APAR



**APAR
RELATIONSHIPS.
APAR
POSSIBILITIES.
APAR SHAKTI.**



LIST PRICE

HOUSE WIRE

GHAR HO YA VYAPAR
TAAR HAI APAR



APAR Anushakti APAR Shakti

SINGLE CORE (90 M)



Flame Retardant



Heat Resistant @ 105°C



Short-circuit Resistant



Melt Resistant



Flame Retardant



Energy Saving



Better Flexibility



Longer Life

Single Core Cables:

The 90m coils will be supplied in mono cartons further packed in master cartons

The 180m coils shall be in poly bags and further packed in master cartons

Cables are available in six common colours: Red, Yellow, Blue, Black, Green and Grey. (Other colours are available on request)

As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the conductor is nominal as per market convention. It may vary within the prescribed limits of IS:8130:1994 with related classes/tables.

APAR Anushakti APAR Shakti

(45 M & 90 M)

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below
(HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti EBXL HR FR PVC	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 45m coil (INR)	45m
0.5	16 / 0.2	620	20
0.75	24 / 0.2	840	20
1.00	32/0.2	1,082	20
1.50	30/0.25	1,599	12
2.50	50/0.25	2,552	12
4.00	56/0.3	3,865	8
6.00	84/0.3	5,715	8

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below
(HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti EBXL HR FR PVC	APAR Shakti FR PVC	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 90m coil (INR)		90m
0.5	16 / 0.2	1,240	1,070	20
0.75	24 / 0.2	1,681	1,501	20
1.00	32/0.2	2,164	1,933	20
1.50	30/0.25	3,199	2,856	12
2.50	50/0.25	5,105	4,557	12
4.00	56/0.3	7,730	6,900	8
6.00	84/0.3	11,430	10,205	4

APAR Anushakti APAR Shakti

CLASS 2 CONDUCTOR (180 M)

Single Core, stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below
(HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti EBXL HR FR PVC	APAR Shakti FR PVC	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)		180m
1.00	7/0.43	4,718	4,513	12
1.50	7/0.53	6,782	6,577	10
2.50	7/0.67	10,780	10,545	6
4.00	7/0.85	16,923	16,606	4
6.00	7/1.04	25,053	24,578	1

Single Core, stranded bare annealed Copper conductor, EBXL HR FR-LSH PVC/FR-LSH PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below
(HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti FR-LSH	APAR Shakti FR-LSH	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)		180m
1.00	7/0.43	4,824	4,543	12
1.50	7/0.53	6,905	6,618	10
2.50	7/0.67	10,955	10,598	6
4.00	7/0.85	17,128	16,671	4
6.00	7/1.04	25,293	24,648	1

APAR Anushakti APAR Shakti

FR LSH (180 M) & FR PVC (180 M)

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR-LSH PVC/FR-LSH PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per the brand mentioned below
(HSN CODE: 8544)

Conductor Area	Conductor Construction	APAR Anushakti - FR-LSH	APAR Shakti - FR-LSH	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)	Rate per 180m coil (INR)	180m
1.00	32/0.2	4,442	3,983	12
1.50	30/0.25	6,526	5,883	10
2.50	50/0.25	10,334	9,387	6
4.00	56/0.3	15,988	14,215	4
6.00	84/0.3	24,206	21,022	1
10.00	80/0.4	42,024	39,012	1
16.00	126/0.4	64,196	59,231	1

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable

(Unsheathed) 1100 Volts conforming to the latest IS:694 as per the brand mentioned below
(HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti - EBXL HR FR PVC	APAR Shakti - FR PVC	No. of Coils packed in a Master Carton*
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)	Rate per 180m coil (INR)	180m
0.5	16 / 0.2	2,479	2,140	12
0.75	24 / 0.2	3,361	3,002	12
1.00	32/0.2	4,328	3,867	12
1.50	30/0.25	6,398	5,712	10
2.50	50/0.25	10,209	9,113	6
4.00	56/0.3	15,461	13,801	4
6.00	84/0.3	22,859	20,410	1
10.00	80/0.4	41,426	37,876	1
16.00	126/0.4	63,153	57,506	1

APAR Anushakti APAR Shakti

SINGLE CORE (100 M)

EBXL HR FR PVC/FR PVC/FR-LSH PVC Insulated - Unsheathed Single Core Industrial Cable

with multi stranded bare annealed Copper conductor for Voltage Grade upto 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti EBXL HR FR PVC	APAR Shakti FR PVC	APAR SHAKTI FR-LSH
		Rate per 100 M Coil / Reel		
Sq mm	(No./Dia.mm)	1 - Core	1 - Core	1 - Core
0.50	16/0.2	1,377	1,189	1,275
0.75	24/0.2	1,867	1,668	1,789
1.00	32/0.2	2,404	2,148	2,213
1.50	30/0.25	3,554	3,173	3,268
2.50	50/0.25	5,672	5,063	5,215
4.00	56/0.3	8,589	7,667	7,897
6.00	84/0.3	12,700	11,339	11,679
10.00	80/0.4	23,015	21,042	21,673
16.00	126/0.4	35,085	31,948	32,906
25.00	196/0.4	54,942	51,788	53,342
35.00	276/0.4	75,627	71,285	73,424
50.00	396/0.4	1,08,220	1,02,008	1,05,068
70.00	360/0.5	1,50,927	1,42,263	1,46,531
95.00	475/0.5	2,03,628	1,91,939	1,97,697
120.00	608/0.5	2,58,481	2,43,643	2,50,953
150.00	756/0.5	3,23,418	3,04,852	3,13,998
185.00	925/0.5	3,94,873	3,72,206	3,83,372
240.00	1221/0.5	5,20,076	4,90,221	5,04,928
300.00	1525/0.5	0	6,22,890	6,41,576
400.00	2013/0.5	0	8,21,673	8,46,324
500.00	1728/0.6	0	10,40,056	10,71,257
630.00	2336/0.6	0	13,94,713	14,36,554



APAR

Tomorrow's solutions today



MULTICORE FLEXIBLE CABLE (ROUND CABLE)

APAR Shakti


MULTICORE FLEXIBLE CABLE 2C, 3C & 4C

PVC Insulated and PVC Sheathed, Round Multicore Industrial Cable

with multi stranded bare annealed Copper conductor for Voltage Grade upto 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Conductor Area	APAR Shakti - Rate per 100m Coil/Reel		
	Sq. mm	2 - Core	3 - Core
0.50	3,187	4,302	5,517
0.75	4,290	5,904	7,634
1.00	5,411	7,534	9,785
1.50	7,427	10,468	13,768
2.50	11,981	17,027	22,304
4.00	18,697	26,801	35,231
6.00	27,636	40,042	52,723
10.00	48,069	69,840	91,970
16.00	75,145	1,06,382	1,40,331
25.00	1,16,195	1,65,928	2,19,239
35.00	1,59,324	2,27,607	3,01,357
50.00	2,30,929	3,30,321	4,35,196
70.00	3,21,118	4,58,984	6,07,481
95.00	4,25,019	6,07,884	8,04,724

Round Cable - 100m in Coil, 300m in Coil/Drum, 500m in Drum
The outer sheath of the multi-core cables are black




APAR Mahashakti
MULTICORE FLEXIBLE CABLE 2C, 3C & 4C

"APAR MAHASHAKTI" make **Round Multi-Core Cables** with multi stranded bare annealed Copper conductor, XLPO insulated and special Elastomer sheathed cable suitable for Voltage grade upto 1100 Volts as per IS 9968 (HSN CODE : 8544)

Conductor Area	APAR Mahashakti - Rate per 100m Coil/Reel		
	Sq. mm	2 - Core	3 - Core
0.50	6,791	8,383	10,241
0.75	8,231	10,247	12,887
1.00	9,622	11,822	14,946
1.50	12,067	15,751	20,032
2.50	17,614	23,042	29,306
4.00	25,541	34,038	43,323
6.00	37,543	50,778	66,267
10.00	62,535	85,142	1,10,118
16.00	91,374	1,26,803	1,64,758
25.00	1,41,412	1,94,950	2,52,595
35.00	1,89,240	2,63,353	3,42,480
50.00	2,61,581	3,66,826	4,78,324

Round Cable - 100m in Coil, 300m in Coil/Drum, 500m, 1000m in Drum
The outer sheath of the Mahashakti multi-core cables is in Black color



"APAR ALUM SHAKTI" make Multi Core Round Cables

with stranded bare ALUMINIUM conductor, inner core HR PVC insulated and outer sheath is HR PVC material sheathed cable with voltage grade upto 1100 Volts (HSN CODE : 8544)


Conductor Area Sq. mm	Rate per 100m (INR)	Outer sheath color / packing
2 X 1.5	5,533	500 m Drum Outer Sheath Black
2 X 2.5	7,589	
2 X 4	10,615	
2 X 6	14,241	
2 X 10	20,343	
2 X 16	27,544	
3 X 1.5	6,501	
3 X 2.5	9,402	
3 X 4	13,034	
3 X 6	16,904	
3 X 10	23,918	
3 X 16	33,113	
4 X 1.5	7,708	
4 X 2.5	11,096	
4 X 4	15,453	
4 X 6	20,530	
4 X 10	29,963	
4 X 16	40,847	





APAR

Tomorrow's solutions today



MULTICORE FLEXIBLE CABLE (FLAT CABLES)


WITH E-BEAM TECHNOLOGY
FOR EXTRA DURABILITY & LONGER LIFE

APAR Mahashakti

3 CORE FLAT

"APAR MAHASHAKTI" make **Three Core Flat Cables** with stranded bare annealed Copper conductor, XLPO insulated and special Elastomer sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE : 8544)

Conductor Area	Conductor Construction	Rate per 100m (INR)	Outer sheath color/ Packing
Sq. mm	(No./Dia.mm)		
1.50	30/0.25	13,532	Grey color outer sheath Continous drum length of 500m/1000m
2.50	50/0.25	21,509	
4.00	56/0.3	32,409	
6.00	84/0.3	46,510	
10.00	140/0.3	80,306	
16.00	226/0.3	1,17,355	
25.00	354/0.3	1,82,235	
35.00	495/0.3	2,50,141	
50.00	703/0.3	3,49,852	



APAR Shakti

3 CORE FLAT

"APAR SHAKTI" make Three Core Flat Cables with stranded bare annealed Copper conductor, PVC insulated and PVC sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts to IS 694 : 2010 (HSN CODE : 8544)

Conductor Area	Conductor Construction	Rate per 100m (INR)	Outer sheath color/ Packing
Sq. mm	(No./Dia.mm)		
1.5	30/0.25	10,752	Black color sheath Continuous drum length of 500m/1000m
2.50	50/0.25	16,802	
4.00	56/0.3	26,155	
6.00	84/0.3	39,215	
10.00	140/0.3	68,247	
16.00	226/0.3	1,02,725	
25.00	354/0.3	1,61,545	
35.00	495/0.3	2,21,155	
50.00	703/0.3	3,19,769	



APAR Shakti

XLPE - 3 CORE FLAT

"APAR SHAKTI" make 3 Core Flat Cable with FLEXIBLE bare Copper conductors, XLPE insulated and PVC ST2 outer sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE: 8544)

Cable Type	Cable Size	Cores Touching Rate Per 100m (INR)*	Cores with Core Separator Rate per 100m (INR)**	Packing
Cu-Flexible/XLPE/PVC	3x1.5	11,269	11,718	1000
Cu-Flexible/XLPE/PVC	3x2.5	17,306	17,652	500/1000
Cu-Flexible/XLPE/PVC	3x4	26,939	27,478	500/1000
Cu-Flexible/XLPE/PVC	3x6	40,391	41,199	500
Cu-Flexible/XLPE/PVC	3x10	70,294	71,700	500
Cu-Flexible/XLPE/PVC	3x16	1,05,807	1,07,923	500

XLPE*: CORES TOUCHING / XLPE Cores with Core Separator**



APAR Alum Shakti

3 CORE FLAT

"APAR ALUM SHAKTI" make **Three Core Flat Cables** with stranded bare ALUMINIUM conductor, inner core HR PVC insulated and outer sheath is HR PVC material sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE : 8544)

Conductor Area	Rate per 100m (INR)	Current Rating Amps	Outer sheath color/ Packing
Sq. mm			
3C X 2.5	8,195	18	500m Drum outer Sheath Black Colour
3C X 4	10,858	26	
3C X 6	14,484	31	
3C X 10	21,499	42	
3C X 16	28,756	57	





❖ **APAR Tarang Shakti**

- ◆ **SPEAKER CABLE**
- ◆ **CAT6 CABLE**
- ◆ **CCTV CABLE**
- ◆ Highest grade raw materials
- ◆ International standards
- ◆ Connecting the world with advanced technology

APAR Tarang Shakti

SPEAKER CABLES

Cable Type	Cable Size	Rate Per 90m Coil (INR)	Packing
SPEAKER CABLE	2C X 0.5 SQ.MM	2,654	90M
SPEAKER CABLE	2C X 0.75 SQ.MM	3,765	90M
SPEAKER CABLE	2C X 1 SQ.MM	4,881	90M
SPEAKER CABLE	2C X 1.5 SQ.MM	7,023	90M
SPEAKER CABLE	2C X 2.0 SQ.MM	9,758	90M
SPEAKER CABLE	2C X 2.5 SQ.MM	11,466	90M



APAR Tarang Shakti

CCTV CABLE

Cable Type	Cable Size	Rate Per 90m Coil (INR)	Rate Per 180m Coil (INR)	1000m (+/- 5% Drums/Spools)
CCTV Cable	CCTV 3 + 1 (90 Mtrs)	4,637	9,190	50,435
CCTV Cable	CCTV 4 + 1 (90 Mtrs)	5,293	10,702	59,436
CCTV Cable	CCTV 6 + 1 (90 Mtrs)	6,455	12,826	71,161
CCTV Cable	CCTV 3 + 1 (180 Mtrs)	-	-	1,80,854
CCTV Cable	CCTV 4 + 1 (180 Mtrs)	-	-	1,86,115
CCTV Cable	CCTV 6 + 1 (180 Mtrs)	-	-	2,01,074



 **APAR Tarang Shakti**
CAT6 CABLE

Cable Type	Rate per ₹/305m	Packing
24 AWG Cat 6 UTP Unarmoured FR PVC Cable	14,127	305m
24 AWG Cat 6 UTP Wire Armoured LSZH Cable	35,390	305m





APAR

Tomorrow's solutions today



OTHER PRODUCT RANGE

- ◆ FIRE ALARM CABLE ◆ SOLAR CABLE
- ◆ UNINYVIN CABLE

**APAR Fire Protekt**
FIRE ALARM CABLE

Cable Type	Rate per ₹/100m	Packing
2XWY (CU/XLPE/PVC/ GS WIRE/FR+LSH PVC) FIRE ALARM CABLE	12,462	1000m



APAR SOLAR CABLE

Cable Size	ATC/XLPO/XLPO as per EN 50618	ATC/XLPO/XLPO as per TUV 2PFG 1169 For 1/1.5 KV DC	Type 2, TCAA/XLPO/ XLPO Generally as per EN 50618
	Rate per ₹/m	Rate per ₹/m	Rate per ₹/m
2.5	71	-	-
4	93	91	-
6	129	126	74
10	230	-	100
16	363	-	167



APAR Tarang Shakti

UNINYVIN CABLE

Single Core, Annealed Tinned Copper Conductor, EBXL-HRPVC (105 Deg C)
Melt Resistant Insulation, and Nylon Sheath/Braiding with Lacquer

Voltage Grade	Uninyvin Cable Description	Size	Cable Size sq. mm	Rate per ₹/km
600 V	ATC/EBXL-HRPVC/ Nylon Braid & Lacquer	Uni Nyvin - 0000	1C x 109 mm ²	27,16,681
		Uni Nyvin - 000	1C x 84.2 mm ²	21,02,302
		Uni Nyvin - 00	1C x 68.3 mm ²	17,06,603
		Uni Nyvin - 0	1C x 53 mm ²	13,55,680
		Uni Nyvin - 1	1C x 40.7 mm ²	10,39,232
		Uni Nyvin - 2	1C x 33.3 mm ²	8,46,475
		Uni Nyvin - 4	1C x 21.5 mm ²	5,63,444
		Uni Nyvin - 6	1C x 13.3 mm ²	3,71,004
600 V	ATC/EBXL-HRPVC/ Nylon Sheath	Uni Nyvin - 8	1C x 8.76 mm ²	2,48,757
		Uni Nyvin - 10	1C x 5.33 mm ²	1,53,696
		Uni Nyvin - 12	1C x 3.22 mm ²	1,01,632
		Uni Nyvin - 14	1C x 2.05 mm ²	86,916
		Uni Nyvin - 16	1C x 1.17 mm ²	70,694
		Uni Nyvin - 18	1C x 0.966 mm ²	58,613
		Uni Nyvin - 20	1C x 0.556 mm ²	47,261
		Uni Nyvin - 22	1C x 0.347 mm ²	42,785








Address

APAR Industries Limited
Works: Survey No. 6074, 2228, 1991,
6341/P1, 2219, 2221, Khatalwada - Manekpur Road,
Village: Khatalwada, Tal: Umbergaon,
Dist: Valsad, State: Gujarat, India - 396 120
Tel: +91 0260 2406100, Fax: +91 0260 2406149
Email: info.cable@apar.com
Web: www.apar.com

Registered office

301, Panorama Complex, R. C. Dutt Road,
Vadodara - 390 007. Gujarat, India
Tel: +91 0265 2322798, 6178700, 6178709
Email: info.cable@apar.com

FOLLOW US ON:  @aparldc |  @APARCableSolutions |  @aparcablesolutions
 @APARLightDutyCablesWires |  @AparLdc

T: 022 2526 3400 / 6780 0400 | E: corporate@apar.com | www.apar.com | www.aparwiresandcables.com

Send your enquiry to:

info.cable@apar.com | exports.cable@apar.com



PLEASE NOTE

The above rates are exclusive of GST which shall be charged extra.

Delivery: F.O.R. any station in India, by road transport.

This Price List supersedes all our earlier price lists and is subject to change without prior notice.